



SAFETY DATA SHEET

SDS00414
CITRASOLVE

Preparation Date: 23/Jun/2017

Version: 1

1. IDENTIFICATION

Product identifier

Product Name CITRASOLVE

Other means of identification

Product Code(s) SDS00414

Synonyms none

Recommended use of the chemical and restrictions on use

Recommended Use Industrial degreaser.

Restricted Uses No information available

Initial Supplier Identifier

Univar Canada Ltd.
9800 Van Horne Way
Richmond, BC V6X 1W5
Telephone: 1-866-686-4827

Emergency telephone number

24 Hour Emergency Phone Number (CANUTEC): 1-888-226-8832 (1-888-CAN-UTEC)

2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Flammable liquids	Category 3
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 1B

Label elements**Hazard pictograms****Signal Word: Danger****Hazard statements**

Flammable liquid and vapor
Harmful if swallowed
Harmful in contact with skin
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer

Precautionary Statements**Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Contaminated work clothing should not be allowed out of the workplace
Ground and bond container and receiving equipment
Use non-sparking tools
Take action to prevent static discharges
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep container tightly closed
Use explosion-proof electrical/ ventilating / lighting/ equipment

Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up
Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Very toxic to aquatic life with long lasting effects

Unknown acute toxicity No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance**

Not applicable.

Mixture

Chemical Name	CAS No	Weight-%	Synonyms
Ethylene Glycol Monobutyl Ether	111-76-2	40 - 50%	Ethylene Glycol Monobutyl Ether
D-limonene	5989-27-5	40 - 50%	D-limonene
Nonylphenol ethoxylate	9016-45-9	20 - 30%	Nonylphenol ethoxylate

4. FIRST AID**Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. If symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed:

May cause Central Nervous System effects. May be harmful if swallowed May cause moderate skin irritation. May

cause severe eye irritation. May cause dizziness. Exposure to high vapor concentrations may cause headache and nausea.

Indication of any immediate medical attention and special treatment needed:

Note to physicians

Treat symptomatically. Treatment based on sound judgment of physician and individual reactions of patient. No specific antidote.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the substance or mixture

This product can produce flammable vapors which may travel to a source of ignition and flash back.

Hazardous combustion products

Carbon monoxide. Carbon dioxide.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Use good personal hygiene. Do not ingest. Ensure proper electrical grounding procedures are in place. Use of non-sparking or explosion proof equipment may be necessary, depending upon the type of operation.

Conditions for safe storage, including any incompatibilities

Store in accordance with good industrial practices. Keep containers tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Alberta OEL	British Columbia OEL	Ontario	Quebec OEL	Exposure Limit - ACGIH	Immediately Dangerous to Life or Health - IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm TWA: 97 mg/m ³	20 ppm TLV-TWA	700 ppm
D-limonene 5989-27-5	Not available	Not available	Not available	Not available	Not available	Not available
Nonylphenol ethoxylate 9016-45-9	Not available	Not available	Not available	Not available	Not available	Not available

Consult local authorities for recommended exposure limits

Appropriate engineering controls

Engineering controls

Local exhaust ventilation as necessary to maintain exposures to within applicable limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Hand protection

Rubber gloves.

Skin and body protection

Apron, coveralls and/or other resistant protective clothing.

Respiratory protection

If exposure exceeds occupational exposure limits, use an appropriate NIOSH-approved respirator. Mist protection.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties**Appearance**

Physical state	Liquid
Color	Clear Yellow
Odor	Citrus
Odor threshold	No information available

PROPERTIES	Values	Remarks • Method
pH	No data available	none known
Melting point / freezing point	-40 °C / -40 °F	
Initial boiling point/boiling range	165 °C / 329 °F	none known
Flash point	53 °C / 127 °F	Pensky-Martens Closed Cup
Evaporation rate	No data available	none known
Flammability (solid, gas)	No data available	none known
Flammability Limit in Air		none known
Upper flammability limit:	6.5	
Lower flammability limit:	0.7	
Vapor pressure	<1 mmHg @ 20°C	
Relative vapor density	No data available	none known
Specific Gravity	0.88	
Water solubility	Insoluble	
Solubility in other solvents	No data available	
Partition coefficient	No data available	none known
Autoignition temperature	250 °C / 482 °F	
Decomposition temperature	No data available	none known
Kinematic viscosity	No data available	none known
Dynamic viscosity	No data available	none known
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Molecular weight	No information available	
VOC Percentage Volatility	No information available	
Liquid Density	No information available	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity/Chemical Stability

Stable

Possibility of hazardous reactions

No additional remark.

Hazardous polymerization

Will not occur.

Conditions to avoid

Avoid excessive heat, open flames and all ignition sources.

Incompatible materials

Oxidizing agents.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Exposure to high vapor concentrations may cause headache and nausea.

Eye contact

May cause severe eye irritation.

Skin contact

May cause moderate skin irritation.

Ingestion

May be harmful if swallowed. May cause Central Nervous System effects. May cause dizziness.

Information on toxicological effects

Symptoms

Prolonged and repeated contact with the skin can cause defatting and drying of the skin resulting in skin irritation and dermatitis. Excessive exposure to ethylene glycol monobutyl ether may cause hemolysis, thereby impairing the blood's ability to transport oxygen. Repeated inhalation or ingestion may cause central nervous system and gastrointestinal disturbances.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	646.00 mg/kg
ATEmix (dermal)	1,798.00 mg/kg
ATEmix (inhalation-dust/mist)	1.50 mg/l

Unknown acute toxicity No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
D-limonene 5989-27-5	= 4400 mg/kg (Rat) = 5200 mg/kg (Rat) = 5300 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not available
Nonylphenol ethoxylate 9016-45-9	= 2590 mg/kg (Rat)	= 1780 µL/kg (Rabbit)	Not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

May cause moderate skin irritation.

Serious eye damage/eye irritation

May cause severe eye irritation.

Respiratory or skin sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity

No information available.

Carcinogenicity

In long-term animal studies with ethylene glycol butyl ether, small but statistically significant increases in tumors were seen in mice but not rats. These effects are not believed to be relevant to humans, if the material is handled in accordance with proper industrial handling, exposures should not pose any carcinogenic risk to man.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3	Not available	Not available
D-limonene 5989-27-5	Not available	Group 2A Group 3	Not available	X
Nonylphenol ethoxylate 9016-45-9	Not available	Not available	Not available	Not available

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

In laboratory animal studies for Glycol Ether EB, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Ethylene glycol monobutyl ether did not cause birth defects in animals; other effects were seen in the fetus only at doses that caused toxic effects to the mother.

Specific target organ systemic toxicity - single exposure

No information available.

Specific target organ systemic toxicity - repeated exposure

No information available.

Aspiration hazard

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Ecotoxicity - Freshwater Algae Data	Ecotoxicity - Fish Species Data	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2	Not available	1490 mg/L LC50 (Lepomis macrochirus) 96 h static 2950 mg/L LC50 (Lepomis macrochirus) 96 h	Not available	EC50: >1000mg/L (48h, Daphnia magna)
D-limonene 5989-27-5	Not available	0.619 - 0.796 mg/L LC50 (Pimephales promelas) 96 h flow-through 35 mg/L LC50 (Oncorhynchus mykiss) 96 h	Not available	Not available
Nonylphenol ethoxylate 9016-45-9	Not available	Not available	Not available	Not available

Persistence and degradability No information available.

Bioaccumulation No information available.

Component Information

Chemical Name	Partition coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
D-limonene 5989-27-5	Not available
Nonylphenol ethoxylate 9016-45-9	Not available

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. TRANSPORT INFORMATION

TDG (Canada):

UN Number UN1993
Shipping name Flammable Liquid, n.o.s. (d'Limonene)
Class 3
Packing Group III
Marine pollutant Not available.
Note Not regulated under the Transportation of Dangerous Goods Act when transported by road or rail in packagings or containers of 450 L or less (waste excluded).

DOT (U.S.)

UN Number UN1993
Shipping name FLAMMABLE LIQUID N.O.S. (D'LIMONENE)
Class 3
Packing Group III
Marine pollutant Not available

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Regulatory Rules

Chemical Name	CERCLA/SARA - Section 302:	SARA (311, 312) Hazard Class:	CERCLA/SARA - Section 313:
Ethylene Glycol Monobutyl Ether - 111-76-2	Not Listed	Not Listed	Listed
D-limonene - 5989-27-5	Not Listed	Not Listed	Not Listed
Nonylphenol ethoxylate -	Not Listed	Not Listed	Not Listed

9016-45-9			
-----------	--	--	--

International Inventories

TSCA	Complies
DSL/NDSL	Complies

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

NFPA:	Health hazards 3	Flammability 2	Instability 0	Physical and chemical properties -
HMIS Health Rating:	Health hazards * 3	Flammability 2	Physical hazards 0	Personal protection X

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Prepared By: The Environment, Health and Safety Department of Univar Canada Ltd.**Preparation Date:** 23/Jun/2017**Revision Date:** 23/Jun/2017**Disclaimer****NOTICE TO READER:**

Univar expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Univar Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

©2015 Univar Inc. All rights reserved. Univar, the hexagon, the Univar logo and MasterLine are the registered trademarks of Univar Inc.

End of Safety Data Sheet