



Spitfire SC 21 Power Cleaner

Version Number: 1

Preparation date: 2014-06-11

1. IDENTIFICATION

Product name: Spitfire SC 21 Power Cleaner
Product Code: 95892546, 95891201, 95892221, 100835272
SDS #: MS0800203
Recommended use:

- Heavy Duty Cleaner and Degreaser
- This product is intended to be diluted prior to use

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

| | |
|--|---|
| US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com | Canadian Headquarters Diversey, Inc. - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131 |
|--|---|

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

| | |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 1B |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |



Signal Word: Danger

Precautionary Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE AN ALLERGIC SKIN REACTION.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Do not breathe spray. Wash affected areas thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or doctor/physician. Wash contaminated clothing before reuse. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable

Spitfire SC 21 Power Cleaner

1 of 6



Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ 1:6

Serious eye damage/eye irritation

Category 2A



Dilution Signal word:

Warning

Precautionary Statements

CAUSES SERIOUS EYE IRRITATION

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: May be mildly irritating to skin. In case of contact, immediately flush with plenty of water. If irritation occurs and persists, get medical attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

| Ingredient(s) | CAS # | Weight % |
|-----------------------------------|------------|---------------|
| Benzyl alcohol | 100-51-6 | 10 - 20% |
| Sodium xylene sulfonate | 1300-72-7 | 10 - 20% |
| Diethylene glycol monoethyl ether | 111-90-0 | 10 - 20% |
| Alcohol ethoxylates | 68439-46-3 | 10 - 20% |
| Monoethanolamine | 141-43-5 | 1% - < 3% |
| Potassium hydroxide | 1310-58-3 | 1% - < 3% |
| Tetrasodium salt of EDTA | 64-02-8 | 1% - < 3% |
| Eucalyptus oil | 8000-48-4 | > 0.1% - < 1% |

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention

Skin: In case of contact, immediately flush with plenty of water. If irritation occurs and persists, get medical attention

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required
Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable) : Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

| Ingredient(s) | CAS # | ACGIH | OSHA |
|-----------------------------------|------------|-------------------------------|--|
| Benzyl alcohol | 100-51-6 | - | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - |
| Diethylene glycol monoethyl ether | 111-90-0 | - | - |
| Alcohol ethoxylates | 68439-46-3 | - | - |
| Monoethanolamine | 141-43-5 | 6 ppm (STEL) 3 ppm (TWA) | 3 ppm (TWA) 6 mg/m ³ (TWA) |
| Potassium hydroxide | 1310-58-3 | 2 mg/m ³ (Ceiling) | - |
| Tetrasodium salt of EDTA | 64-02-8 | - | - |
| Eucalyptus oil | 8000-48-4 | - | - |

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.
Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection: If aerosols, mists, vapors, or dust are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid
Evaporation Rate: No information available
Odor threshold: No information available.
Melting point/range: Not determined
Autoignition temperature: No information available
Solubility in other solvents: No information available
Density: 9.01 lbs/gal 1.08 Kg/L
Bulk density: No information available
Flash point: > 200 °F > 93.3 °C
Dilution Flash Point: > 200 °F > 93.3 °C
Elemental Phosphorus: 0.00 % by wt.
pH: 12.5
Dilution pH: 11.45 @ 1:6
Metal Corrosion Not determined
Explosion limits: - upper: Not determined - **lower:** Not determined

Color: Clear, Red
Odor: Pine Fresh
Boiling point/range: Not determined
Decomposition temperature: Not determined
Solubility: Completely Soluble
Relative Density (relative to water): 1.08
Vapor density: No information available
Vapor pressure: No information available.
Partition coefficient (n-octanol/water): No information available
Viscosity: No information available
VOC: 2.6 % *
VOC % by wt. at use dilution 0.37 % *
Flammability (Solid or Gas): Not applicable

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable
Stability: The product is stable
Hazardous decomposition products: None reasonably foreseeable.
Materials to avoid: Acids. Do not mix with any other product or chemical.
Conditions to avoid: No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:
Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: May cause an allergic skin reaction. Symptoms may include rash, hives, itching, bumps, redness, swelling, and/or discomfort.

Numerical measures of toxicity

ATE - Oral (mg/kg): 4700
ATE - Dermal (mg/kg): >5000
ATE - Inhalatory, mists (mg/l): >20
ATE - Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers.
RCRA Hazard Class (undiluted product): D002 Corrosive Waste
RCRA Hazard Class (diluted product): Not Regulated

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, ethanolamine), 8, III

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, ethanolamine), 8, III

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|-----------------------------------|------------|--------|--------|--------|--------|
| Water | 7732-18-5 | - | - | - | - |
| Benzyl alcohol | 100-51-6 | X | - | X | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |
| Diethylene glycol monoethyl ether | 111-90-0 | - | X | - | - |
| Alcohol ethoxylates | 68439-46-3 | - | - | - | - |
| Monoethanolamine | 141-43-5 | X | X | X | - |
| Potassium hydroxide | 1310-58-3 | X | X | X | X |
| Tetrasodium salt of EDTA | 64-02-8 | - | - | - | - |
| 2-butoxyethanol | 111-76-2 | X | X | X | - |
| Eucalyptus oil | 8000-48-4 | - | - | - | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------------------------|-----------|---------------|----------------------|-----------------------|-------------|
| Diethylene glycol monoethyl ether | 111-90-0 | 10 - 20% | | | X |
| Potassium hydroxide | 1310-58-3 | 1% - < 3% | 1000 | | |
| 2-butoxyethanol | 111-76-2 | > 0.1% - < 1% | | | X |

| Ingredient(s) | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------------------------|---------|---------|-------------------------|
| Diethylene glycol monoethyl ether | X | | |
| 2-butoxyethanol | X | | |

SARA 311/312 Hazard Categories

Immediate: x
Delayed: -
Fire: -
Reactivity: -
Sudden Release of Pressure: -

Canada

| Ingredient(s) | CAS # | NPRI |
|-----------------|----------|------|
| 2-butoxyethanol | 111-76-2 | X |

16. OTHER INFORMATION

NFPA

Health 3
Flammability 0
Instability 0

Version Number: 1
Preparation date: 2014-06-11

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.