

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Urnex Urn & Brewer Cleaner

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation: Coffee/Espresso machine/equipment cleaner

· Uses advised against: No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Urnex Brands, Inc. Urnex Brands, Inc.

700 Executive Blvd. 29 Harley Street, London, W1G 9QR

Elmsford, NY 10523 USA United Kingdom

Phone: +1-914-963-2042 Tel: +44 (0)20 7927 6881

Fax: +1-914-963-2145 Email: info@urnex.com

· Further information obtainable from:

Urnex Brand, LLC. 700 Executive Blvd. Elmsford, NY 10523 USA Phone: +1-914-963-2042 Fax: +1-914-963-2145 Email: info@urnex.com

· 1.4 Emergency telephone number:
Tel.: International: +1 (352) 323-3500

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36: Irritating to eyes.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Silicic acid, sodium salt

(Contd. on page 2)



Trade name: Urnex Urn & Brewer Cleaner

(Contd. of page 1)

· Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not determined · **vPvB**: Not determined

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Dangerous components:			
CAS: 497-19-8	sodium carbonate		
EINECS: 207-838-8	Xi R36		
Index number: 011-005-00-2	Eye Irrit. 2, H319		
CAS: 1344-09-8	Silicic acid, sodium salt	< 3%	
EINECS: 215-687-4	Xi R38-41		
	Eye Dam. 1, H318; Skin Irrit. 2, H315		
CAS: 15630-89-4	disodium carbonate, compound with hydrogenperoxide (2:3)	< 3%	
EINECS: 239-707-6	Xn R22; Xi R41; O R8		
	Ox. Liq. 2, H272; Eye Dam. 1, H318; Acute Tox. 4, H302		

· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
phosphates, oxygen-based bleaching agents	< 5%	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: Supply fresh air.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.



Trade name: Urnex Urn & Brewer Cleaner

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Any unavoidable deposit of dust must be regularly removed.

· Information about fire and explosion protection:

Dust can combine with air to form an explosive mixture.

Keep respiratory protective device available.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidising agents.

(Contd. on page 4)



Trade name: Urnex Urn & Brewer Cleaner

(Contd. of page 3)

· Further information about storage conditions:

Keep container tightly sealed.

Store under lock and key and out of the reach of children.

Protect from humidity and water.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Do not inhale dust / smoke / mist.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:

No chemical-protective gloves required.

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Natural rubber, NR Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed

· Eye protection: Safety glasses

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical a General Information	ma chemicai properues	
Appearance:		
Form:	Powder	
Colour:	Light blue	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value (10 g/l) at 20 °C:	11.18 - 11.36	
Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	Not determined.	
Flammability (solid, gaseous):	Not determined.	
Self-igniting:	Product is not selfigniting.	

(Contd. on page 5)



Trade name: Urnex Urn & Brewer Cleaner

		(Contd. of page
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Soluble.	
Partition coefficient (n-octanol/wa	iter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability No decomposition if used and stored according to specifications.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with reducing agents.

Reacts with strong acids and oxidising agents.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Strong oxidizing agents

Reducing agent

Reacts with strong acids.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· <i>LD/I</i>	LC50	valu	es rele	evant for	classification:

CAS: 497-19-8 sodium carbonate

Oral LD50 4090 mg/kg (Rat)

CAS: 1344-09-8 Silicic acid, sodium salt

Oral |LD50| > 2000 mg/kg (Rat)

CAS: 15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

Oral | LD50 | 1034 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Trade name: Urnex Urn & Brewer Cleaner

(Contd. of page 5)

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquai	uc tox	icuy:			
~ ~	1011	00 0	~	•	•

CAS: 1344-09-8 Silicic acid, sodium salt

EC0 (48h) > 1000 mg/L (Bacteria) EC50 (48h) 4857 mg/L (Daphnia) LC50 (96h) 3185 mg/L (Fish)

· 12.2 Persistence and degradability

Anorganic product, is not eliminable from water by means of biological cleaning processes. The organic portion of the product is biodegradable.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR,RID,ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR,RID,ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR,RID,ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	Void	

(Contd. on page 7)



Trade name: Urnex Urn & Brewer Cleaner

	(Contd. of page 6)
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code:	x II of No further relevant information available.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R8 Contact with combustible material may cause fire.

· Department issuing SDS:

Chemservice GmbH

Herrnsheimer Hauptstrasse 1b

D-67550 Worms

Tel.: +49 (0)6241-95480-0 Fax: +49 (0)6241-95480-25 Email: sds@chemservice-group.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

UN: United Nations (also UNO: United Nations Organization)

(Contd. on page 8)



Trade name: Urnex Urn & Brewer Cleaner

(Contd. of page 7)

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

ASTM: American Society for Testing and Materials

WAF: Water Accommodated Fraction

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation — Category 1 Eye Irrit. 2: Serious eye damage/eye irritation — Category 2

* Data compared to the previous version altered.

- GB