

OXY PUR

1. IDENTIFICATION					
Product name	:	OXY PUR			
Product code	:	11-12175	Other means of identification	:	Not available.
Supplier	:	Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541	Manufacturer	:	Wood Wyant A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec G6P 7E3 1-819-758-1541
Identified uses	:	Industrial applications: Industrial cleaners.	Uses advised against	:	Only use this product as directed. Read label before
Date of issue (YYY)	Y-MM-D	D) : 2019-04-08			using.
I	n cas	e of emergency : Emergency pho	ne: CANUTEC (613) 996-66	666	i (Collect calls accepted)
		2. HAZA	RDS IDENTIFICATION		

Information in t	his :	section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.
Product Classification	:	EYE IRRITATION - Category 2B
Signal word	:	Warning
Hazard statements	:	Causes eye irritation.
Precautionary stateme	<u>nts</u>	
General	:	Read label before use. Keep out of reach of children.
Prevention	:	Specific protective equipment is suggested for this product. See section 8 for details.
Response	:	Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	No specific measure needed. See section 7 for more information on handling and storage.
Disposal	:	No specific measure needed. See section 13 for waste disposal information.
Supplemental label ele	mei	nts : No additional information.
Other hazards which do classification	o no	t result in : None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture Name hydrogen peroxide 1-methoxy-2-propanol	<u>CAS number</u> 7722-84-1 107-98-2	<u>% (w/w)</u> 1 - 5 1 - 5
Occupational exposure limits, if available, are listed in Section 8.	107-90-2	1-3



4. FIRST AID MEASURES

In case of irritation, rinse with water. Get medical attention if irritation persist. Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. Maintain an open airway. ms/effects, acute and delayed
Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.
are severe. Maintain an open airway.
ms/effects acute and delayed
instenetts, acute and delayed
Adverse symptoms may include the following: irritation watering redness
No specific symptoms under normal use conditions.
No specific symptoms under normal use conditions.
No specific symptoms under normal use conditions.
Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
r

	5. FIRE-FIGHTING MEASURES
Extinguishing media	
Suitable extinguishing media Use ar	n extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media None I	known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition produc	cts Decomposition products may include the following materials: carbon dioxide carbon monoxide
1 2 31	otly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken ing any personal risk or without suitable training.
Special protective equipment for fire- fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.
Personal protection	Put on appropriate personal protective equipment (see Section 8).
Cleaning method	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
Storage and Incompatibility	Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).



	8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Occupational exposure limits	
Ingredient name	Exposure limits
hydrogen peroxide solution	CA Alberta Provincial (Canada, 4/2009). Skin sensitizer. 8 hrs OEL: 1 ppm 8 hours. 8 hrs OEL: 1.4 mg/m ³ 8 hours. CA British Columbia Provincial (Canada, 6/2017). TWA: 1 ppm 8 hours. CA Ontario Provincial (Canada, 7/2015). TWA: 1 ppm 8 hours. CA Quebec Provincial (Canada, 1/2014). TWAEV: 1 ppm 8 hours. TWAEV: 1.4 mg/m ³ 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 2 ppm 15 minutes.
Propylene glycol monomethyl ether	TWA: 1 ppm 8 hours. CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 100 ppm 8 hours. 15 min OEL: 553 mg/m ³ 8 hours. 15 min OEL: 150 ppm 15 minutes. CA British Columbia Provincial (Canada, 6/2017). STEL: 75 ppm 15 minutes. TWA: 50 ppm 8 hours. CA Ontario Provincial (Canada, 7/2015). TWA: 50 ppm 8 hours. STEL: 100 ppm 15 minutes. CA Quebec Provincial (Canada, 1/2014). TWAEV: 100 ppm 8 hours. STEV: 150 ppm 15 minutes. STEV: 150 ppm 15 minutes. STEV: 150 ppm 15 minutes. STEV: 150 ppm 15 minutes. STEV: 553 mg/m ³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 100 ppm 15 minutes. TWA: 100 ppm 8 hours.
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants that could arise from the use if this product.
Individual protection measures	
Eye/face protection	Continued or intense exposures might required to wear safety glasses. It is minimally suggested to wear safety glasses while using or handling this product.
Hands and Body protection	No specific protective equipment required under normal use conditions. Prolonged or severe exposures might require to wear chemical-resistant gloves.
Respiratory protection	No specific protective equipment required under normal use conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid. [Limpid liquid]	рН	5.75	Flash point	[Product does not sustain combustion.]
Color	Colorless.	Relative density	1.016	Melting point	Not available.
Odor	Fresh [Slight]	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point :	Not available.
Solubility in water :	Not available.	Vapor density :	Not available.	Evaporation rate :	Not available.
Decomposition tempera	ture : Not available		Auto-ignition temperature	: Not available.	
Partition coefficient: n- water	octanol/ : Not available	<u>.</u>	Flammability (solid, gas)	: Not available.	
Lower and upper explosiv	ve (flammable) limits	: Not available.			



10. STABILITY AND REACTIVITY

Reactivity	No specific	test data related to reactivity available for this product or its ingredients.
Chemical stability	The product	t is stable.
Incompatible materials	No specific	data.
Conditions to avoid	No specific	data.
Possibility of hazardous re	actions	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous decomposition	products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Route of exposure	Not available.				
	Potential acute	health effects		<u>Symptoms</u>	
Eye contact	May cause eye irritation.		Adverse symptoms may include the following: irritation watering redness		
Skin contact	No known significant effects or critical hazards.		No specific sympto	oms under normal use conditions.	
Ingestion	No known signific	cant effects or cri	tical hazards.	No specific sympto	oms under normal use conditions.
Inhalation	No known signific	cant effects or cri	tical hazards.	No specific sympto	oms under normal use conditions.
<u>Toxicity data</u>					
Product/ingredient nam	ie	Result	Species	Dose	Exposure
Propylene glycol monomethyl ether		LD50 Dermal LD50 Oral	Rabbit Rat	13 g/kg 6600 mg/kg	-
Information on toxicolo	gical effects				
Mutagenicity	No known	significant effect	s or critical ha	zards.	
Teratogenicity	No known	significant effect	s or critical ha	zards.	
Developmental effects	No known	significant effect	s or critical ha	zards.	
Fertility effects	No known	significant effect	s or critical ha	zards.	
Sensitization	Not availa	able.			
Carcinogenicity	No knowr	significant effects	or critical haza	ards.	

12. ECOLOGICAL INFORMATION

Product/ingredient name	Result	Species	Exposure
hydrogen peroxide solution	Acute EC50 1.2 mg/l Marine water	Algae - Dunaliella tertiolecta - Exponential growth phase	72 hours
	Acute EC50 5.38 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 2320 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 93 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 989.7 ppm Fresh water	Fish - Oncorhynchus tshawytscha - Egg	43 days



13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION										
	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard					
TDG Classification	Not regulated.	-	-	-						
-										
<u>Additional</u> information	See shipping documents for specific information on DOT, IMDG or IATA									

15. REGULATORY INFORMATION

<u>Canadian lists</u>	
Canadian NPRI	None of the components are listed.
CEPA Toxic substances	None of the components are listed.
Canada inventory	All components are listed or exempted.
International lists	
United States All components are list	ed or exempted.

16. OTHER INFORMATION					
Hazardous Mat	eria	l Information System (U.S.A.)	Health Hazard	1	
			Fire Hazard	0	,
			Reactivity	0	r T
			Personal Protection	Α	•
Date of issue/D DD)	ate	of revision (YYYY-MM- : 2019-0	04-08		
Prepared by	:	Regulatory Affairs Department			
		Wood Wyant A division of Sani-Marc Group			
		42, rue de l'Artisan			
		Victoriaville, Québec G6P 7E3			
		1-819-758-1541			

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

