

Versior 1.1	Revision Date: 02/12/2018		DS Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017			
SECTIO	ON 1. IDENTIFICATION						
Pr	Product name		MICRELL® Antibacterial Lotion Soap with Chloroxylenol				
	anufacturer or supplier's ompany name of supplier	deta	ails GOJO Industries,	Inc			
		•					
Ac	ldress	:	One GOJO Plaza, Suite 500 Akron, Ohio, 44311				
Te	Telephone		1 (330) 255-6000				
	Emergency telephone num- ber		CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA				
Re	commended use of the o	chen	nical and restriction	ons on use			
Re	ecommended use	:	Antibacterial Soa	ρ			
Restrictions on use		:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specif cally defined by regulations around the world, are exempt fr the requirement of an SDS for the consumer. While this ma rial is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusu and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.				

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Serious eye damage	:	Category 1
Germ cell mutagenicity	:	Category 2

GHS label elements



Version 1.1	Revision Date: 02/12/2018	SDS Number: 400000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017
Haza	rd pictograms		
Signa	l word	: Danger	
Haza	rd statements		serious eye damage. ted of causing genetic defects.
Preca	autionary statements	P202 Do not I and understo	special instructions before use. nandle until all safety precautions have been read od. ye protection/ face protection.
		water for seve and easy to d CENTER or d	+ P338 + P310 IF IN EYES: Rinse cautiously with eral minutes. Remove contact lenses, if present o. Continue rinsing. Immediately call a POISON octor/ physician. IF exposed or concerned: Get medical advice/
		Storage: P405 Store lo	cked up.
		Disposal: P501 Dispose posal plant.	e of contents/ container to an approved waste dis-
Othe	r hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanolamine	141-43-5	>= 1 - < 5
Cocamide DEA	68603-42-9	>= 1 - < 5
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Sodium Lauryl Sulfate	68585-47-7	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical



Version 1.1	Revision Date: 02/12/2018		OS Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017			
			advice.				
If inhaled		:	If inhaled, remove to fresh air. If symptoms persist, call a physician.				
In case of skin contact		:	Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.				
In case of eye contact		:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.				
If swallowed		:	If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.				
	mportant symptoms ffects, both acute and ed	: Causes serious eye damage. Suspected of causing genetic defects.					
Protection of first-aiders : First Aid responders should pay attention to and use the recommended protective clothin							

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	None known.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides Sulphur oxides Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Use personal protective equipment.



Version 1.1	Revision Date: 02/12/2018		DS Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017		
	equipment and emer- y procedures		Ensure adequate Material can crea	ventilation. te slippery conditions.		
Envi	Environmental precautions :		Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.			
	ods and materials for ainment and cleaning up	:	sorbent material, miculite) and plac / national regulati Keep in suitable,	and then collect with non-combustible ab- (e.g. sand, earth, diatomaceous earth, ver- e in container for disposal according to local ons (see section 13). closed containers for disposal. ted floors and objects thoroughly while ob- ental regulations.		

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Do not swallow. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	:	Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethanolamine	141-43-5	STEL	6 ppm 15 mg/m3	CA AB OEL
		TWA	3 ppm 7.5 mg/m3	CA AB OEL
		TWA	3 ppm	CA BC OEL
		STEL	6 ppm	CA BC OEL
		TWAEV	3 ppm 7.5 mg/m3	CA QC OEL
		STEV	6 ppm 15 mg/m3	CA QC OEL
		TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.



Version 1.1	Revision Date: 02/12/2018		Number: 00000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017			
Eye protection			: Wear face-shield and protective suit for abnormal processing problems.				
Skin and body protection			No special measures necessary provided product is used correctly.				
Protective measures		tr c E	Choose body protection in relation to its type, to the cond tration and amount of dangerous substances, and to the cific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.				
Hygiene measures		р	landle in accorda ractice. void contact with	ance with good industrial hygiene and safety			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear, amber
Odour	:	citrus
Odour Threshold	:	No data available
рН	:	7.1 - 10 (20 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.0306 g/cm3
Solubility(ies) Water solubility	:	soluble



Version 1.1	Revision Date: 02/12/2018		S Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017	
	tion coefficient: n- nol/water	:	Not applicable		
Auto	Auto-ignition temperature		No data available	e	
Decomposition temperature		:	The substance or mixture is not classified self-reactive.		
Viscosity Viscosity, kinematic		:	1000 - 20000 mr	n2/s (20 °C)	
Explo	osive properties	:	Not explosive		
Oxid	zing properties	:	The substance o	r mixture is not classified as oxidizing.	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method



Version 1.1	Revision Date: 02/12/2018	SDS Number: 400000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017
Co	mponents:		
Eth	anolamine:		
Acu	ute oral toxicity	: LD50 (Rat)	1,515 mg/kg
Acu	ute inhalation toxicity	Test atmos Method: Ex Remarks: E	ty estimate: 11 mg/l ohere: vapour pert judgement ased on harmonised classification in EU regulati 08, Annex VI
Αςι	ute dermal toxicity	: LD50 (Rabl	bit): 1,025 mg/kg
Co	camide DEA:		
Acı	ute oral toxicity	: LD50 (Rat)	> 5,000 mg/kg
Acı	ute dermal toxicity		bit): > 2,000 mg/kg t: The substance or mixture has no acute dermal
So	dium Laureth Sulfate:		
Acu	ute oral toxicity		> 2,000 mg/kg t: The substance or mixture has no acute oral tox-
So	dium Lauryl Sulfate:		
	ute oral toxicity	Method: OE	1,200 mg/kg CD Test Guideline 401 ased on data from similar materials
Αοι	ute dermal toxicity	Method: OE Assessmer toxicity	> 2,000 mg/kg CD Test Guideline 402 t: The substance or mixture has no acute dermal based on data from similar materials
Ch	loroxylenol:		
Acı	ute oral toxicity	Method: Ex Remarks: E	ty estimate: 500 mg/kg pert judgement ased on harmonised classification in EU regulati 08, Annex VI
Acı	ute inhalation toxicity		> 6.29 mg/l phere: dust/mist
Acu	ute dermal toxicity	: LD50 (Rat)	> 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of
1.1	02/12/2018	40000000279	Date of

Date of last issue: 01/04/2017 Date of first issue: 01/04/2017

Product:

Assessment: Not irritating when applied to human skin. Result: No skin irritation

Components:

Ethanolamine:

Species: Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure

Cocamide DEA:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

Sodium Laureth Sulfate:

Result: Skin irritation

Sodium Lauryl Sulfate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Ethanolamine:

Species: Rabbit Result: Irreversible effects on the eye

Cocamide DEA:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Sodium Laureth Sulfate:

Result: Eye irritation Remarks: Severe eye irritation



Version	Revision Date:	SDS Number:	Date
1.1	02/12/2018	40000000279	Date of

Date of last issue: 01/04/2017 Date of first issue: 01/04/2017

Sodium Lauryl Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Chloroxylenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

Components:

Ethanolamine:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Cocamide DEA:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

Sodium Lauryl Sulfate:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative Remarks: Based on data from similar materials

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI



Version 1.1	Revision Date: 02/12/2018		9S Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017
	cell mutagenicity ected of causing gene	tic def	ects.	
Com	oonents:			
Ethar	nolamine:			
Geno	toxicity in vitro	:		ro mammalian cell gene mutation test Test Guideline 476
Geno	toxicity in vivo	:	cytogenetic ass Species: Mouse Application Rou	te: Ingestion Test Guideline 474
Coca	mide DEA:			
Geno	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
Geno	toxicity in vivo	:	Test Type: Man cytogenetic assa Species: Mouse Application Rou Result: positive	
	cell mutagenicity - ssment	:	Positive result(s genicity tests.) from in vivo mammalian somatic cell muta-
Sodiu	um Lauryl Sulfate:			
	toxicity in vitro	:	Result: negative	mosome aberration test in vitro d on data from similar materials
Geno	toxicity in vivo	:	Species: Mouse Application Rou Result: negative	te: Ingestion
Chlo	roxylenol:			
	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)

Carcinogenicity

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last
1.1	02/12/2018	40000000279	Date of first

Date of last issue: 01/04/2017 Date of first issue: 01/04/2017

Components:

Cocamide DEA:

Species: Rat Application Route: Skin contact Exposure time: 2 Years Result: negative

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in animal studies ment

Sodium Lauryl Sulfate:

Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative Remarks: Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Ethanolamine:	
Effects on fertility :	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
Cocamide DEA:	
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
Sodium Lauryl Sulfate:	
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials



Version	Revision Date:	SDS Number:	Da
1.1	02/12/2018	40000000279	Da

Date of last issue: 01/04/2017 Date of first issue: 01/04/2017

STOT - single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment: May cause respiratory irritation.

Sodium Lauryl Sulfate:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Ethanolamine:

Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Ethanolamine:

Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

Cocamide DEA:

Species: Rat NOAEL: > 750 mg/kg Application Route: Ingestion Exposure time: 28 d Remarks: Based on data from similar materials

Sodium Lauryl Sulfate:

Species: Rat NOAEL: 100 mg/kg Application Route: Ingestion Exposure time: 2 y Remarks: Based on data from similar materials

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d



Version	Revision Date:	SDS Number:	Date of last issue: 01/04/2017
1.1	02/12/2018	400000000279	Date of first issue: 01/04/2017

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

|--|

Ethanolamine: Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h
Toxicity to algae	:	ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l Exposure time: 72 h
		NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.85 mg/l Exposure time: 21 d
Toxicity to bacteria	:	EC50 (Pseudomonas putida): 110 mg/l Exposure time: 17 h
Cocamide DEA:		
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): 6.7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2.15 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Scenedesmus subspicatus): 2.2 mg/l Exposure time: 72 h
		NOEC (Scenedesmus subspicatus): 0.32 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.32 mg/l Exposure time: 28 d Method: OECD Test Guideline 204 Remarks: Based on data from similar materials



Vers 1.1	sion	Revision Date: 02/12/2018	-	0S Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017	
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) Sodium Lauryl Sulfate:		:	 NOEC (Daphnia magna (Water flea)): 0.07 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials 		
	Toxicity to fish		:	LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials		
	Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Remarks: Based on data from similar materials		
	Toxicity to algae		:	mg/l Exposure time: 72 Method: OECD Te		
				mg/l Exposure time: 72 Method: OECD Te		
	Toxicity icity)	to fish (Chronic tox-	:	Exposure time: 42	es promelas (fathead minnow)): > 1.357 mg/l 2 d on data from similar materials	
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	Exposure time: 21	nagna (Water flea)): 0.14 mg/l d on data from similar materials	
	Chloro	xylenol:				
	Toxicity	•	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.76 mg/l b h	
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 7.7 mg/l 5 h	
	M-Facto icity)	or (Acute aquatic tox-	:	1		
	Persist	ence and degradabili	ty			
	Components:					
		lamine: radability	:	Result: Readily bi	odegradable.	



Version 1.1	Revision Date: 02/12/2018		DS Number: 0000000279	Date of last issue: 01/04/2017 Date of first issue: 01/04/2017			
	Cocamide DEA: Biodegradability		Biodegradation: > 90 % Exposure time: 21 d				
Coca							
			 Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 28 d Method: OECD Test Guideline 301D 				
Sodi	Sodium Laureth Sulfate: Biodegradability Sodium Lauryl Sulfate: Biodegradability Bioaccumulative potential Components: Ethanolamine: Partition coefficient: n- octanol/water						
Biode			: Result: Readily biodegradable.				
Sodi							
Biode			 Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: Based on data from similar materials 				
Bioa							
<u>Com</u>							
Etha							
			log Pow: -1.91				
Coca	mide DEA:						
	Partition coefficient: n- octanol/water		log Pow: 4.2 Remarks: Based	on data from similar materials			
Sodi	um Lauryl Sulfate:						
Partit	ion coefficient: n- nol/water	:	log Pow: 1.88 Remarks: Based	on data from similar materials			
Chlo	roxylenol:						
Partit	ion coefficient: n- nol/water	:	log Pow: 3.27				
Mobi	lity in soil						
No da	ata available						
	r adverse effects ata available						



Version	Revision Date:	SDS Number:	Date of last issue: 01/04/2017
1.1	02/12/2018	40000000279	Date of first issue: 01/04/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Dispose of as unused product. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TSCA	On the inventory, or in compliance with the inventory
AICS	Not in compliance with the inventory
DSL	On the inventory, or in compliance with the inventory
ENCS	Not in compliance with the inventory
ISHL	Not in compliance with the inventory
KECI	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.



Version	Revision Date:	SDS Number:	Date of last issue: 01/04/2017
1.1	02/12/2018	40000000279	Date of first issue: 01/04/2017

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

Revision Date : 02/12/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN